

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1 Product identifier**

**Trade name** Berliner Wohnwagen-Elixier**Article number:** 1000925825013**UFI:** AQT0-D272-C004-CRAP

### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

#### **Restrictions on use:**

Restrictions on use according to REGULATION (EC) No 1907/2006 ANNEX XVII apply to this product (see section 15).

**Application of the substance / the mixture** Cleaning agent / Cleaner

### **1.3 Details of the supplier of the safety data sheet**

#### **Manufacturer/Supplier:**

STOCKMEIER Chemie GmbH & Co.KG, Am Stadtholz 37, DE - 33609 Bielefeld  
Tel.: +49 521 / 30 37-0, [ehs-bielefeld@stockmeier.de](mailto:ehs-bielefeld@stockmeier.de)

STOCKMEIER Fluids GmbH & Co. KG, Sanssouci 12, DE – 58802 Balve  
Tel.: +49 2375 917 310, [fluids@stockmeier.com](mailto:fluids@stockmeier.com)

BASSERMANN Minerals GmbH & Co. KG, Rudolf-Diesel-Straße 42, DE – 68169 Mannheim  
Tel.: +49 621 15 01 0, [verkauf@bassermann.de](mailto:verkauf@bassermann.de)

STOCKMEIER CHEMIA Sp. z o. o. i S.S.K., ul. Obornicka 277, PL - 60-691 Poznań  
Tel.: +48 61 666 10 66, [zamowienia@stockmeier.pl](mailto:zamowienia@stockmeier.pl)

STOCKMEIER QUIMICA, S.L.U., Avda. del Baix Llobregat, 3- 5, ES – 08970 Sant Joan Despí (Barcelona)  
Tel.: +34 93 506 91 83, [tecnico-calidad@stockmeier.es](mailto:tecnico-calidad@stockmeier.es)

STOCKMEIER NETHERLANDS B.V., Ridderpoort 5, NL - 2984 BG Ridderkerk  
Tel.: +31 180 41 5988, [info@stockmeier.nl](mailto:info@stockmeier.nl)

STOCKMEIER Chemie Austria, Ricoweg 32b, AT - 2351 Wiener Neudorf  
Tel.: +43 2236 623-40, [office@stockmeier.at](mailto:office@stockmeier.at)

KEMTAN AG, Seewenweg 6, CH – 4153 Reinach  
Tel.: +41 61 711 20 20, [info@kemtan.ch](mailto:info@kemtan.ch)

STOCKMEIER CHEMICALS BELUX SA/NV, Rue de la Station 17, BE – 1300 Limal  
Tel.: +32 10 421-320, [info@stockmeierchemicalsbelux.com](mailto:info@stockmeierchemicalsbelux.com)

HDS – Chemie Handels GES.M.B.H., Bauernmarkt 24, AT - 1010 Wien  
Tel.: +43 15 32 0 999, [office@hds-chemie.at](mailto:office@hds-chemie.at)

[www.stockmeier.com](http://www.stockmeier.com)

#### **Informing department:**

Product safety department. Tel.: 0049 / 521 / 3037-381

E-mail: [ehs-bielefeld@stockmeier.de](mailto:ehs-bielefeld@stockmeier.de)

### **1.4 Emergency telephone number:**

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet.

Counselling Centre for Poisoning, Mainz

Tel. (+49) 61 31 / 19 240.

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 10.09.2024      Version number 109.05 (replaces version 109.04)      Revision: 06.09.2024

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 1)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**  
**Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1    H290 May be corrosive to metals.  
Skin Corr. 1B   H314 Causes severe skin burns and eye damage.  
Eye Dam. 1    H318 Causes serious eye damage.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS05

**Signal word** Danger

**Hazard-determining components of labelling:**  
disodium metasilicate

**Hazard statements**

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P101                    If medical advice is needed, have product container or label at hand.  
P103                    Read carefully and follow all instructions.  
P280                    Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Additional information:**

According to the current state of knowledge, no synthetic polymer microparticles > 0.01% are contained.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Determination of endocrine-disrupting properties** Not applicable.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:** Mixture of the following substances with non-hazardous additions.

**Dangerous components:**

CAS: 69011-36-5 Polymer	Isotridecanol, ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10,01 % Eye Irrit. 2; H319: 1,01 % ≤ C < 10,01 %	2,5-10%
----------------------------	--	---------

(Contd. on page 3)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

**Trade name** Berliner Wohnwagen-Elixier

(Contd. of page 2)		
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	diethylene glycol monobutyl ether Eye Irrit. 2, H319 substance with a Community workplace exposure limit	≥2,5-<10%
CAS: 6834-92-0 EINECS: 229-912-9 Reg.nr.: 01-2119449811-37	disodium metasilicate Met. Corr.1, H290; Skin Corr. 1B, H314; STOT SE 3, H335	≥1-≤2,5%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37	sodium p-cumenesulphonate Eye Irrit. 2, H319	≤2,5%

**SVHC**

This preparation does not contain any substances of very high concern (SVHC) in a concentration of  $\geq 0.1$  % according to Regulation (EC) 1907/2006, Article 57.

**Additional information** For the wording of the listed hazard phrases refer to section 16.

**Composition/Ingredients**

Constituents according to EC-Regulation 648/2004:

- 5 - 15 % non-ionic surfactants,
- < 5 % anionic surfactants
- < 5 % amphoteric surfactants

## SECTION 4: First aid measures

**4.1 Description of first aid measures**

**General advice:** Instantly remove any clothing soiled by the product.

**After inhalation** Supply fresh air; consult doctor in case of symptoms.

**After skin contact**

Instantly wash with water and soap and rinse thoroughly. If skin irritation persists, seek medical advice.

**After eye contact**

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

**After swallowing**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing agents** Coordinate fire extinguishing measures with the surroundings.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:** Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Put on protective equipment and keep unprotected persons away.

**6.2 Environmental precautions:**

Do not allow to enter drainage system, surface or ground water.

(Contd. on page 4)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 3)

Dilute with much water.

In case of release of larger quantities, inform competent authorities.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace. Avoid repeated or long-term skin contact.

**Information about protection against explosions and fires:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage** Store in cool, dry conditions in well sealed containers.**Requirements to be met by storerooms and containers:**

Observe laws and regulations on the storage and use of substances hazardous to water.

**Information about storage in one common storage facility:** Not required.**7.3 Specific end use(s)** No further relevant information available.

## \* SECTION 8: Exposure controls/personal protection

**8.1 Control parameters****Components with critical values that require monitoring at the workplace:****112-34-5 diethylene glycol monobutyl ether**

AGW (Germany)	Long-term value: 67 mg/m <sup>3</sup> , 10 ppm 1,5(I);EU, DFG, Y, 11
EG (Germany)	Short-term value: 101,2 mg/m <sup>3</sup> , 15 ppm Long-term value: 67,5 mg/m <sup>3</sup> , 10 ppm
MAK (Germany)	Long-term value: 67 mg/m <sup>3</sup> , 10 ppm Dampf und Aerosol
IOELV (EU)	Short-term value: 101,2 mg/m <sup>3</sup> , 15 ppm Long-term value: 67,5 mg/m <sup>3</sup> , 10 ppm

**DNELs****112-34-5 diethylene glycol monobutyl ether**

Oral	DNEL (population)	6,25 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	5 mg/kg (Long-term, systemic effects)
Dermal	DNEL (worker)	83 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	50 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	101,2 mg/m <sup>3</sup> (Acute, local effects)
		67,5 mg/m <sup>3</sup> (Long-term, local effects)
	DNEL (population)	60,7 mg/m <sup>3</sup> (Acute, local effects) 40,5 mg/m <sup>3</sup> (Long-term - systemic + local effects)

(Contd. on page 5)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 4)

**6834-92-0 disodium metasilicate**

Oral	DNEL (population)	0,74 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	1,49 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	0,74 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	6,22 mg/m <sup>3</sup> (Long-term, systemic effects)
	DNEL (population)	1,55 mg/m <sup>3</sup> (Long-term, systemic effects)

**15763-76-5 sodium p-cumenesulphonate**

Oral	DNEL (population)	3,8 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	7,6 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	3,8 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	53,6 mg/m <sup>3</sup> (Long-term, systemic effects)
	DNEL (population)	13,2 mg/m <sup>3</sup> (Long-term, systemic effects)

**PNECs****112-34-5 diethylene glycol monobutyl ether**

Oral	PNEC oral	56 mg/kg (Nahrung) (Secondary poisoning)
	PNEC water	1,1 mg/l (freshwater)
		0,11 mg/l (marine water)
	PNEC	11 mg/l (intermittent releases)
	PNEC sediment	4,4 mg/kg dw (freshwater)
		0,44 mg/kg dw (marine water)
	PNEC soil	0,32 mg/kg dw (soil)

**6834-92-0 disodium metasilicate**

	PNEC water	7,5 mg/l (freshwater)
		1 mg/l (marine water)
	PNEC	7,5 mg/l (intermittent releases)
	PNEC STP	1000 mg/l (sewage plant)

**15763-76-5 sodium p-cumenesulphonate**

	PNEC water	0,23 mg/l (freshwater)
		2,3 mg/l (intermittent releases)
	PNEC STP	100 mg/l (380)

**Additional information:** The lists that were valid during the compilation were used as basis.**8.2 Exposure controls****Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures**

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

**Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

**Hand protection** Protective gloves (EN 374).**Material of gloves**

Butyl rubber, BR

(Contd. on page 6)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 5)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed safety glasses.**Body protection:** Standard protective work clothing.

## \* SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties****General Information****Physical state**

Fluid

**Colour:**

Yellow

**Smell:**

Characteristic

**Odour threshold:**

Not determined

**Melting point/freezing point:**

Not determined

**Boiling point or initial boiling point and boiling range**

100 °C (7732-18-5 water, distilled, conductivity or of similar purity)

**Flammability**

Not applicable.

**Lower and upper explosion limit****Lower:**

Not determined.

**Upper:**

Not determined.

**Flash point:**

104 °C

**Decomposition temperature:**

Not determined.

**pH at 20 °C**

&gt;13,3

**pH-value:****Viscosity:****Kinematic viscosity**

Not determined.

**dynamic:**

Not determined.

**Solubility****Water:**

Fully miscible

**Partition coefficient n-octanol/water (log value)**

Not determined

**Vapour pressure at 20 °C:**

23 hPa (7732-18-5 water, distilled, conductivity or of similar purity)

**Density and/or relative density****Density at 20 °C**1,04 g/cm<sup>3</sup>**Relative density**

Not determined.

**Vapour density**

Not determined.

**9.2 Other information****Appearance:****Form:**

Fluid

**Important information on protection of health and environment, and on safety.****Self-flammability:**

Product is not selfigniting.

**Explosive properties:**

Product is not potentially explosive

**Evaporation rate**

Not determined

(Contd. on page 7)

— EUE —

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

Trade name Berliner Wohnwagen-Elixier

(Contd. of page 6)

#### Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known

### \* SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values that are relevant for classification:**

#### 69011-36-5 Isotridecanol, ethoxylated

Oral	LD50	>300-2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

#### 112-34-5 diethylene glycol monobutyl ether

Oral	LD50	2410-5530 mg/kg (mouse) >2000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (rabbit) (OECD 402) 2764 mg/kg (rat) (OECD 402)
Inhalative	LC 50 / 2 h	>29 mg/l (rat)

(Contd. on page 8)



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 7)

**6834-92-0 disodium metasilicate**

Oral	LD50	1152-1349 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rat)

**15763-76-5 sodium p-cumenesulphonate**

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

**Skin corrosion/irritation**

Causes severe skin burns and eye damage.

**Serious eye damage/irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

## \* SECTION 12: Ecological information

**12.1 Toxicity****Aquatic toxicity:****69011-36-5 Isotridecanol, ethoxylated**

LC 50 / 96 h	1-10 mg/l (Cyprinus carpio)
EC 50 / 48 h	1-10 mg/l (Daphnia magna)
EC 50 / 72 h	1-10 mg/l (Scenedesmus subspicatus)

**112-34-5 diethylene glycol monobutyl ether**

LC 50 / 96 h (static)	1300 mg/l (Lepomis macrochirus) (OECD 203)
EC 50 / 48 h (static)	>100 mg/l (Daphnia magna) (OECD 202)
EC 50 / 48 h	4950 mg/l (Daphnia magna)
EC 50 / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
EC 50 / 24 h	2850 mg/l (Daphnia magna)
EC 50 / 72 h (static)	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC / 48 h	>100 mg/l (Daphnia magna) (OECD 202)

**6834-92-0 disodium metasilicate**

LC 50 / 96 h	210 mg/l (Brachydanio rerio) (OECD 203)
LC 50 / 72 h	207 mg/l /biomass (Scenedesmus subspicatus)
EC 50 / 48 h	1700 mg/l (Daphnia magna)
EC 50 / 72 h	>345 mg/l (Desmodesmus subspicatus) (DIN 38412 T9)

**15763-76-5 sodium p-cumenesulphonate**

LC 50 / 96 h	>100 mg/l (fish)
--------------	------------------

(Contd. on page 9)



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 8)

EC 50 / 48 h	>100 mg/l (Daphnia magna)
EC 50 / 72 h	>100 mg/l (Desmodesmus subspicatus)
EC 50 / 2 h	>1000 mg/l (activated sludge (method OECD 209))

**12.2 Persistence and degradability**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**69011-36-5 Isotridecanol, ethoxylated**

Biodegradability	>70 % (OECD 301A)
	>70 % (OECD 301 B)

**112-34-5 diethylene glycol monobutyl ether**

Biodegradability	~85 % (28 d, OECD 301 C)
	100 % (OECD 302 B)

**15763-76-5 sodium p-cumenesulphonate**

Biodegradability	>60 % (OECD 301 B)
------------------	--------------------

**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects****Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):****112-34-5 diethylene glycol monobutyl ether**

EC 10 / 0,5 h	>1995 mg/l (activated sludge (DEV - L2)) (OECD 209 (Activated Sludge, Resp. Inhibition Test))
---------------	---

**6834-92-0 disodium metasilicate**

EC 50	>100 mg/l (OECD 209 / ISO 8192) (> 3 h)
-------	---

**Additional ecological information:****General notes:**

The product contains no organic halogen compounds (AOX).

The product contains no organic complexing agents, which are not biodegradable (DOC elimination &gt; 80 % within 28 d)

Water hazard class 1 (Self-assessment): slightly hazardous for water.

## SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

**Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. If possible, send to be recycled, otherwise burn or deposit in a certified facility.

(Contd. on page 10)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 9)

**Waste disposal key number:**

Since 1 January 1999, the waste code numbers have not only been product-related but essentially application-related. The waste code number valid for the application can be taken from the European Waste Catalogue.

**Uncleaned packagings:** Disposal in accordance with official regulations.

**Recommendation:**

**Development:** After optimal emptying, immediately return to the supplier tightly closed and without cleaning. Make sure that no foreign matter gets into the packaging!

Other containers: Empty completely and clean for reconditioning or reprocessing.

## SECTION 14: Transport information

<b>14.1 UN number or ID number</b> <b>ADR/RID, IMDG, IATA</b>	UN3266
<b>14.2 UN proper shipping name</b> <b>ADR/RID</b>  <b>IMDG, IATA</b>	3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)
<b>14.3 Transport hazard class(es)</b> <b>ADR/RID</b> <b>Class</b> <b>Label</b>	8 (C5) Corrosive substances. 8
<b>IMDG, IATA</b> <b>Class</b> <b>Label</b>	8 Corrosive substances. 8
<b>14.4 Packing group</b> <b>ADR/RID, IMDG, IATA</b>	III
<b>14.5 Environmental hazards:</b> <b>Marine pollutant:</b>	Not applicable. No
<b>14.6 Special precautions for user</b> <b>Kemler Number:</b>	Warning: Corrosive substances. 80
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR/RID</b> <b>Limited quantities (LQ)</b> <b>Excepted quantities (EQ)</b>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>IMDG</b> <b>Limited quantities (LQ)</b>	5L

(Contd. on page 11)

EUE

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 10)

<b>Excepted quantities (EQ)</b>	Código E4 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>UN "Model Regulation":</b>	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE), 8, III

## \* SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS05

Signal word **Danger**

#### Hazard-determining components of labelling:

disodium metasilicate

#### Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

#### LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55

#### DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### REGULATION (EU) 2019/1148

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

#### Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 12)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

**Trade name Berliner Wohnwagen-Elixier**

(Contd. of page 11)

**National regulations****Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

**VOC (EU)** 32,2 g/l**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Application:** Please refer to the technical data sheet for application instructions.

**UFI market placements:**

Germany, Bulgaria, Denmark, DKE, ESE, European Union, Finland, SFS, France, Greece, Ireland, ISE, Croatia, Latvia, FL, Lithuania, LTE, Malta, Netherland, Norway, Germany, Poland, Portugal, Romania, Sweden, Slovakia, Slovenia, Spain, Czechia, Cyprus

**Relevant phrases**

Complete wording of hazard statements and risk phrases (H-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Department issuing data specification sheet:** See section 1.3: Responding area

**Date of previous version:** 26.06.2024

**Version number of previous version:** 109.04

**Abbreviations and acronyms:**

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 13)

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 10.09.2024

Version number 109.05 (replaces version 109.04)

Revision: 06.09.2024

---

**Trade name Berliner Wohnwagen-Elixier**

---

(Contd. of page 12)

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**\* Data compared to the previous version altered.**

---

— EUE —